



09/695,706

cjc

THOMPSON & KNIGHT LLP

ATTORNEYS AND COUNSELORS

1700 PACIFIC AVENUE • SUITE 3300
DALLAS, TEXAS 75201-4693

(214) 969-1700
FAX (214) 969-1751
www.tklaw.com

Direct Dial: (214) 969-1749

E-mail: james.murphy@tklaw.com

AUSTIN
DALLAS
FORT WORTH
HOUSTON
NEW YORK

ALGIERS
MEXICO CITY
MONTERREY
PARIS
RIO DE JANEIRO

July 15, 2005

Commissioner for Patents

Attn: Certificate of Corrections Branch

P. O. Box 1450

Alexandria, Virginia 22313-1450

Certificate
JUL 21 2005
of Correction

Re: U. S. Patent No. 6,891,430 B1

Issued: May 10, 2005

Title: **TECHNIQUES FOR SIGNAL MEASUREMENT**

USING A CONDITIONALLY STABLE AMPLIFIER

Our File: 021615.500081 [1111-CA]

Sir:

The following errors have been noted in the above-identified patent.

Column 1, line 46, "Sherri" should be --Sherry --;

Column 2, line 63, "since" should be -- sinc³ --;

Column 4, line 57, "I1" should be -- I1 --;

Column 4, line 56, "14" should be -- I4 --;

Column 5, line 16, "sect" should be -- second --;

Column 5, about line 26, the second equation should read:

$$-- \quad V_{os} = V_{os2} \cdot 128 \cdot \frac{1}{A_{vi} A_{vo}} + V_{os1} \cdot \frac{1}{A_v} \quad --;$$

Column 5, line 45 "AS" should be -- $\Delta\Sigma$ --;

Column 6, line 27, "M" should be -- M2 --;

Column 6, line 54, "V_K" should be -- V_X --;

Column 6, line 66, "V_K" should be -- V_X --;

Column 7, line 5, "it" should be -- input --.


JUL 22 2005

July 15, 2005

It is believed that these errors are significant and it is requested that a Certificate of Correction be issued.

It is not believed that a fee is required for this Certificate of Correction; however, if the Commissioner requires such, authorization to charge Deposit Account 20-0821 is given.

Very truly yours,



James J. Murphy

JJM:dvc
Enclosure

JUL 22 2005

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 6,891,430 B1

APPLICATION NO.: 09/695,706

ISSUE DATE : May 10, 2005

INVENTOR(S) : Axel Thomsen, Edwin De Angel, Sherry Wu, Lei Wang & Aryesh Amar

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1, line 46, "Sherri" should be --Sherry --;

Column 2, line 63, "since" should be -- sinc^3 --;

Column 4, line 57, "1I" should be -- I1 --;

Column 4, line 56, "14" should be -- I4 --;

Column 5, line 16, "sect" should be -- second --;

Column 5, about line 26, the second equation should read:

$$-- \quad V_{os} = V_{os2} \cdot 128 \cdot \frac{1}{A_{vi} A_{vo}} + V_{os1} \cdot \frac{1}{A_v} \quad --;$$

Column 5, line 45 "AS" should be -- $\Delta\Sigma$ --;

Column 6, line 27, "M" should be -- M2 --;

Column 6, line 54, "V_K" should be -- V_X --;

Column 6, line 66, "V_K" should be -- V_X --;

Column 7, line 5, "it" should be -- input --.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

James J. Murphy, Thompson & Knight LLP
1700 Pacific Avenue, Suite 3300
Dallas, Texas 75201-4693

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

JUL 22 2005